

<http://www.plasmacuttersupplier.com/products/cnc-plasma-cutting-machine.html>

hot selling cheap strong enough kingcutting KCT table steel cutting machine factory

Specification:


- Bench model, plasma, flame, both plasma and flame cutting machine
- Bench structure, Y axis uses dual-motor dual-driven system, X, Y, Z axes all use dual straight rail that make the machine driving smoothly with high precision.
- The kerf is small, tidy and avoid a second dressing processing.
- It can apply to iron sheet, the aluminum sheet, the galvanized sheet, hardened steel plates, and metal plates and so on.
- The numerical control system disposes high, the automatic striking arc, the performance is stable.
- Support Wentai, Australia Fastcam, Germany IBE Software, FreeCAM software, produce standard G code format documents, also can change software to read AUTO CAD software produce DXF format documents. The control system uses the U disk to exchange processing document, easy to operate.

[multi-head strip cutting machine supplier](#)

## TECHNICAL PARAMETER


Effective cutting width	5'(1500mm)
Effective cutting length	10'(3000mm)
Traverse Speed	Max. 118 IPM(3m/min)
Cutting Precision	$\pm 0.2\text{mm/m}$
Moving Precision	0.01mm/step
Flame cutting thickness	Max. 5-150mm
Plasma cutting thickness	According to plasma generator
Flame cutting gas	Oxygen+Acetylene/Propane
Input AC Voltage	220V $\pm 10\%$ ,50,60Hz
Gas pressure	Max.14.5 psi(0.1MPa)
Oxygen pressure	Max.101.5 psi(0.7MPa)
Working Temperature	-5-55°C
CNC System	Fangling F2300B, Starfire or Microstep
Programming software	Fastcam, Smartnest or Starcam
Vertical/Horizontal guide rail	Taiwan HIWIN high-precision ball-type linear guide
Transmission	Rack and Pinion
Motor Drive	Stepper or Servo motor
Torch height controller	Automatic HYD plasma THC
Conveyor Towline	Germany or South Korean or domestic high strength engineering plastic towline
Speed Range	0- 6000 mm/min (continuously variable )

## COMPLETE MACHINE



## CUTTING SAMPLES

### Plasma Made in China



### Flame Cutting Samples



## CUSTOMER VISITS



## EXHIBITION



## MACHINES ON CUSTOMER'S SITE



## PAYMENT



- Standard payment terms: T/T 30% DEPOSIT, 70% BALANCE AGAINST B/L COPY or 100% irrevocable LC at sight
- Online trade assurance order, all up to you
- More payment terms could be provided (PAYPAL, WESTERN UNION)

## SHIPPING

- Delivery time: generally it is 5-10 days if the goods are in stock, or it is 15-20 days if the goods are not in stock, it is according to quantity.
- Packing: General export packaging, or customized packaging as you request



- Professional goods shipping forwarder



## WHY CHOOSE US

1. Professional and patient service before and after sales, giving suggestions and advice.
2. Our own factory, control the production time and delivery time strictly.
3. Experienced workers, each process of the production is in high quality, ensure the total quality of the machine.
4. Choosing the best materials for the machines when producing.
5. Testing and commissioning after installed, make sure that there is no problem and machine run well.
6. Strong packaging, make sure that the machine will not be damaged during transportation.
7. Long term warranty, 18 months.
8. 24-hours after sales service, by Email, WhatsApp, Skype, Telephone, and Wechat etc.

## CONTACT US



Andy



Whatsapp/wechat: 0086 17786508725

Email:keb@kingcutting.com

Skype:keb@kingcutting.com